NM EQIP FY 2006 Ranking Criteria Worksheet - Irrigated Cropland - Socorro F.O.

Applicant		Farm No	Tract No	CMS Field No's		Date
Tribal Land	Non-Tribal Land_			Preliminary	Final_	
	1 Water C	Juantity 50	Potential Po	into (200/ of To	401\	

1. Water Quantity - 50 -- Potential Points (29% of Total)

		aluate. Benchmark & After points equal er. Total equals after minus benchmark pts.	Potential	Benchmark	After
%	% of Area in Contract	% of Area in Contract	Points	Points	Points
Efficiency	before Treatment	After Treatment			
		1. Water Quantity	Total		

2. Water Quality - 35 -- Potential Points (21% of Total)

A. Surface Water Pollutants -20 -- Maximum Points

There is a probability that runoff water from irrigated fields contains sediment, salt, pesticides, and/or nutrients (or other associated chemicals). Treatment is needed to prevent these pollutants from entering live waters, or reentering a shared irrigation system. Points will be awarded based on distance from the end of the field to the nearest live waters or re-entry point into a shared system. If there is no run-off, after points will be 0.

	Distance of Surface Run-Off to Live Water	Potential	Benchmark	After
	Distance of Surface Run-On to Live Water	Points	Points	Points
<100 Feet		20	0	
101 - 500 Ft.		15	0	
501 - 1,320 Ft.		10	0	
1,321 - 2,640 Ft.		5	0	
>2,640 Feet		0	0	
	A. Surface Water	Total	0	

B. Ground Water Pollutants - 15 -- Maximum Points

There is a probability that irrigation water containing salt, pesticides, and/or other nutrients (or other associated chemicals) is leaching into the ground water. Treatment is needed to prevent these pollutants from contaminating ground water, through leaching and/or direct flow into wells. Points will be awarded based on depth to the water table or elimination of any direct discharge to ground water (regardless of depth to the water table).

Depth to Water Table		Benchmark	After
Deput to Water Table	Points	Points	Points
1 - 10 Ft or elimination of any direct discharge into ground water.	15		
10 - 50 Ft.	10		
50 -100 Ft.	5		
>100 Ft.	0		
B. Ground Water			
2. Water Quality	Total		

NM EQIP FY 2005 Ranking Criteria Worksheet - Irrigated Cropland - Socorro F.O.

3. Selected Conservation Practice(s) -- 60 -- Potential Points (35% of Total)

schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource.	3. Selected Conservation Practices	Total		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Band Leveling (464) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Plants: Productivity, Health and Vigor Land leveling (464) or Conc. Ditch (428A), or Irr. Pipe (430EE) or Irr. Drip Trickle system(441) Domestic Animals: Inadequate Stock Water Livestock water sys. Practices (614-516) Fish and Wildlife: Inadequate Cover/shelter/water Tree and Shrub establishment (612) or Pond (378), or Upland Wildlife Habitat Mgmt.				
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) 3 Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Land Leveling (464) Structure for Water Control (587) 3 Plants: Productivity, Health and Vigor Land leveling (464) or Conc. Ditch (428A), or Irr. Pipe (430EE) or Irr. Drip Trickle system (441) Domestic Animals: Inadequate Stock Water Livestock water sys. Practices (614-516) 2 Fish and Wildlife: Inadequate Cover/shelter/water		1		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Land Leveling (464) Structure for Water Control (587) 3 Plants: Productivity, Health and Vigor Land leveling (464) or Conc. Ditch (428A), or Irr. Pipe (430EE) or Irr. Drip Trickle system (441) Domestic Animals: Inadequate Stock Water	•			
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Land Leveling (464) Structure for Water Control (587) 3 Plants: Productivity, Health and Vigor Land leveling (464) or Conc. Ditch (428A), or Irr. Pipe (430EE) or Irr. Drip Trickle system (441) Domestic Animals: Inadequate Stock Water	Livestock water sys. Flacutes (014-010)			
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Dirip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Barry Grickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) 3 Plants: Productivity, Health and Vigor Land leveling (464) or Conc. Ditch (428A), or Irr. Pipe (430EE) or Irr. Drip Trickle system (441)	<u>'</u>	2		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Bater Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) 3 Structure for Water Control (587) 3 Plants: Productivity, Health and Vigor Land leveling (464) or Conc. Ditch (428A), or Irr. Pipe (430EE) or Irr. Drip Trickle	Domestic Animals: Inadequate Stock Water			
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) 11 Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) 3 Percent of Need to be Installed Points After Points Af		3		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Signal Points Percent of Need to be Installed Points After Points Need to be Installed Points After Points After Points After Points After Points After Points After Points Potential Points Need to be Installed Need to be Installed Need to be Installed Points After Poin	•			
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Bater Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) 5 Land Leveling (464)				
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Bater Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) 5 Land Leveling (464)	Chastalo loi Matol Control (con)			
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) 9				
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land Drip (Trickle) system and/or components (441) Drip (Trickle) system and/or components (441)	, , , , ,	_		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Structure for Water Control (587) Water Quantity: In-efficient Water use on irrigated land				
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Potential Points Percent of Need to be Installed Need to be Installed Points Potential Points Need to be Installed Points	,	44		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Land Leveling (464) Potential Points Percent of Need to be Installed Need to be Installed Points Potential Points Need to be Installed Points				
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Concrete Ditch (428A) or Irrigation Pipeline (430EE) Potential Points Percent of Need to be Installed Need to be Installed 10 8	Structure for Water Control (587)	3		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water Drip (Trickle) system and/or components (441) Potential Points Percent of Need to be Installed Points 10	Land Leveling (464)	5		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground Water or Surface Water	Concrete Ditch (428A) or Irrigation Pipeline (430EE)	8		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from NM Quality Criteria Guide. Points Percent of Need to be Installed	Water or Surface Water	10		
schedule of operations must be cost-shared or have an incentive payment. Higher priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from	Water Quality: Excessive Nutrients and Organics and/or Pesticides in Ground			
Any practice used in the ranking criteria and intended to be included in the conservation	priority (value) should be given to those practices which address multiple resource concerns, are cost effective, and have longer life spans. Select resource concerns from		Need to be	After Points

4. Other Considerations -- 25 -- Potential Points (15% of Total)

Items A thru D are required. If there are other criteria the D.C. wants to recommend	Potential	Benchmark	After
based on LWG advice, please include it as item E.	Points	Points	Points
A. At risk species habitat will be enhanced. (List the species impacted)	5	0	
B. Treatment of this land could have a beneficial impact on a 303d listed stream segment	5	0	
C. Treatment of this land could enhance the benefits of an active/planned section 309 pro	5	0	
D. The land is within a NMED designated Catergory I watershed.	5	0	
E. Class A and/or B noxious weeds exist in the contract area and will be controlled.	5	0	
4. Other Considerations	Total	0	

Total Points (After minus Benchmark): Se	c1 Sec	2 Sec 3_	Sec 4	Worksheet	l otal
Designated Conservationist	D	ate			

NM FOID EV	2005 Panking	Criteria Worksheet	- Irrigated	Cropland - Sc	ocorro E O
NIVI EQIP FT	zuus Kankina	Criteria worksneet	- irridated	Grobiana - Sc	ocorro F.O.

Revised Nov. 2003